

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Казахстан (772)734-952-31

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Россия (495)268-04-70

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

<https://nedo.nt-rt.ru/> || nod@nt-rt.ru

Штативы алюминиевые

Алюминиевые штативы Nedo



Алюминиевые штативы Nedo крайне надежны и отличаются образцовой прочностью. Они идеально подходят для установки нивелирующих устройств, теодолитов и ротационных лазеров. Благодаря «быстрому» зажиму ножки штатива выдвигаются и устанавливаются просто и удобно.

Lightweight Aluminium Tripods



Tripod Ref.-No. 200 631

Features

- Aluminium tripod plate
- Quick clamp
- Leg locking system without a strap
- Slip guard

Suitable for

- Dot and line lasers
- Rotating lasers

Tripod Ref.-No. 200 631

Min. effective height	approx. 0.53 m
Max. effective height	approx. 0.85 m
Retracted length	approx. 0.61 m
Weight	approx. 2.40 kg
Holding screw	5/8" thread
Tripod head	flat , ø 140 mm



Tripod Ref.-No. 200215-613

Features

- Aluminium tripod plate
- Quick clamp
- Carrying strap

Suitable for

- Builders' levels
- Rotating lasers

Tripod Ref.-No.	200 215-613 (flat head)
Tripod Ref.-No.	200 216-613 (demed head)

Min. effective height	approx. 0.91 m
Max. effective height	approx. 1.49 m
Retracted length	approx. 0.97 m
Weight	approx. 2.70 kg
Holding screw	5/8" thread
Tripod head	flat , ø 120 mm



Tripod Ref.-No. 200221

Features

- Aluminium tripod plate
- Quick clamp
- Leg locking system without a strap
- Slip guard

Suitable for

- Builders' levels
- Rotating lasers

Tripod Ref.-No. 200221

Min. effective height	approx. 0.91m
Max. effective height	approx. 1.69 m
Retracted length	approx. 1.06 m
Weight	approx. 3.40 kg
Holding screw	5/8" thread
Tripod head	flat , ø 140 mm



Tripod Ref.-No 200 203

Features

- Large, round tripod head
- Quick clamp
- Carrying strap
- Aluminium tripod plate
- Leg locking system without a strap
- Made in Germany

Suitable for

- Builders' levels
- Theodolites
- Rotating lasers

Tripod Ref.-No. 200 203

Min. effective height	approx. 1.00 m
Max. effective height	approx. 1.71 m
Retracted length	approx. 1.07 m
Weight	approx. 4.25 kg
Holding screw	5/8" thread
Tripod head	flat , ø 168 mm

Medium-Duty Aluminium Tripods



Tripod Ref.-No. 200 412

Features

- Aluminium tripod plate
- Quick clamp
- Slip guard (Tripod Ref.-No. 200 412)

Suitable for

- Dot and line lasers
- Rotating lasers
- Pipe lasers

Tripod Ref.-No. 200 412 (with slip guard) Tripod Ref.-No. 200 413 (without slip guard)

Min. effective height	approx. 0.78 m
Max. effective height	approx. 1.18 m
Retracted length	approx. 0.82 m
Weight	approx. 4.00 kg
Holding screw	5/8" thread
Tripod head	flat , ø 140 mm



Трипод Ref.-No. 200 225

Features

- Aluminium tripod plate
- Quick clamp
- Carrying strap
- Slip guard
- Leg locking system without a strap

Suitable for

- Builders' levels
- Theodolites
- Rotating lasers

Tripod Ref.-No. 200 225

Min. effective height	approx. 0.99m
Max. effective height	approx. 1.68 m
Retracted length	approx. 1.06 m
Holding screw	5/8" thread
Weight	approx. 3.8 kg
Tripod head	flat , ø 140 mm



Tripod Ref.-No. 200 250

Features

- Aluminium tripod plate
- Quick clamp
- Carrying strap

Suitable for

- Builders' levels
- Theodolites
- Rotating lasers

Tripod Ref.-No. 200250

Min. effective height	approx. 1.01 m
Max. effective height	approx. 1.63 m
Retracted length	approx. 1.08 m
Holding screw	5/8" thread
Weight	approx. 4.60 kg
Tripod head	flat , ø 154 mm

Heavy-Duty Aluminium Tripods



Штатив Номер заказа 200 200

Характеристики

- «Быстрый» зажим

Область применения

- для нивелиров
- для теодолитов
- для тахеометров
- для ротационных лазеров

Штатив

Номер заказа 200 200

Мин. полезная высота	примерно 1,08 м
Макс. полезная высота	примерно 1,72 м
Длина в складном виде	примерно 1,14 м
Масса	примерно 5,00 кг
Головка штатива	плоская , ø 140 мм



Штатив Номер заказа 200 312



Tripod Ref.-No. 200 204

Features	Suitable for
- Aluminium tripod plate - Wing nut clamp	- Builders' levels - Theodolites - Rotating lasers
Tripod Ref.-No. 200233	
Min. effective height	approx. 1.08 m
Max. effective height	approx. 1.72 m
Retracted length	approx. 1.14 m
Weight	approx. 4.70 kg
Holding screw	5/8" thread
Tripod head	flat , ø 140 mm

Характеристики	Область применения
«Быстрый» зажим	- для нивелиров - для теодолитов
Штатив Номер заказа 200 312	
Мин. полезная высота	примерно 1,04 м
Макс. полезная высота	примерно 1,68 м
Длина в складном виде	примерно 1,13 м
Масса	примерно 5,40 кг
Головка штатива	сферическая , ø 140 мм

Features	Suitable for
- Aluminium tripod plate - Large, round tripod head - Quick clamp - Snap Cap - Carrying strap - In accordance with ISO 12858-2-H	- Builders' levels - Theodolites - Total stations - Rotating lasers
Tripod Ref.-No. 200204	
Min. effective height	approx. 1.02 m
Max. effective height	approx. 1.72 m
Retracted length	approx. 1.10 m
Weight	approx. 5.20 kg
Holding screw	5/8" thread
Tripod head	flat , ø 167 mm

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81
Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Казахстан (772)734-952-31

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Россия (495)268-04-70

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

<https://nedo.nt-rt.ru/> || nod@nt-rt.ru